



**2026**  
**RANGE**

**aprilia<sup>®</sup>**

**STR**GT

# SR GT 400

APRILIA mio CONNECTIVITY SYSTEM AS STANDARD

FIVE STAGE HEIGHT-ADJUSTABLE SCREEN

# RALLY REPLICAS

5" COLORED TFT DASHBOARD

SPORTY GRAPHICS WITH DEDICATED SADDLE

HANDGUARDS

KEYLESS SYSTEM

DUAL SHOCK ABSORBER WITH EXTERNAL GAS TANK

FULL-LED LIGHTS

RED SHOCK ABSORBER SPRINGS

Ø 41 MM USD FRONT FORK

400 ENGINE WITH 36 HP AND AN EXCEPTIONAL POWER-TO-WEIGHT RATIO

GOLDEN FORK STEMS

SCULPTED TREAD TYRES

HYDRAULIC FLOATING DISC WITH RADIAL CALIPER



THE DELTA FEATURES BETWEEN THE SR GT 400 RALLY REPLICAS AND SR GT 400 ARE HIGHLIGHTED IN RED



**SR GT 400 RALLY REPLICA**

# SR400

**FIVE STAGE HEIGHT-ADJUSTABLE SCREEN**

**5" COLORED TFT DASHBOARD**

**HANDGUARDS**

**KEYLESS SYSTEM**

**FULL-LED LIGHTS**

**DUAL SHOCK ABSORBER WITH EXTERNAL GAS TANK**

**Ø 41 MM USD FRONT FORK**

**400 ENGINE WITH 36 HP AND AN EXCEPTIONAL POWER-TO-WEIGHT RATIO**

**HYDRAULIC FLOATING DISC WITH RADIAL CALIPER**

**SCULPTED TREAD TYRES**



# SR GT 125 200

# SPIDER

LED LIGHTS

BLACK SADDLE IN DUAL MATERIAL  
WITH RED STITCHING

TOP-LEVEL PERFORMANCE  
THANKS TO THE MOST  
POWERFUL ENGINES IN THE  
CATEGORY: THE BRILLIANT  
11 KW 125 AND THE  
POWERFUL 200 WITH AN  
AMAZING 13 KW

SCULPTED TYRES FOR  
ANY ROAD SURFACE



PROTECTIVE FRONT END

SHIELD COLOUR REFLECTED  
ON THE TAIL WITH CONTRASTING  
DECAL TO ACCENTUATE THE  
VEHICLE'S DYNAMISM

LED LIGHTS

LONGER-TRAVEL  
SUSPENSION

5-SPLIT SPOKE  
RED RIM

WAVE BRAKE DISC  
FOR HIGHER BRAKING  
PERFORMANCE

THE DELTA FEATURES BETWEEN THE SR GT SPORT AND SR GT ARE HIGHLIGHTED IN RED



**SR GT SPORT 125**

# **SR** *GT* **125 200**

**PROTECTIVE FRONT END**

**LED LIGHTS**

**SHIELD REFINED WITH  
DYNAMIC LINEAR BAND  
CONTINUING ON THE SIDE**

**LONGER-TRAVEL  
SUSPENSION**

**5-SPLIT SPOKE  
BLACK RIM**

**WAVE BRAKE DISC FOR HIGHER  
BRAKING PERFORMANCE**

**SADDLE IN DUAL  
BLACK AND GREY  
MATERIAL, WITH GREY  
STITCHING**

**TOP-LEVEL PERFORMANCE  
THANKS TO THE MOST  
POWERFUL ENGINES IN THE  
CATEGORY: THE BRILLIANT  
11 KW 125 AND THE  
POWERFULL 200 WITH AN  
AMAZING 13 KW**

**SCULPTED TYRES FOR  
ANY ROAD SURFACE**





**SR GT 200**

# SVR50

aprilia

# SXR50

aprilia

**850 MM LONG SADDLE**

**COMPARTMENT  
UNDER THE SEAT WITH  
COURTESY LIGHT**

**BAG HOOK**

**LCD INSTRUMENTATION**

**GLOVE COMPARTMENT  
WITH USB CHARGER PORT**

**CARBON-LOOK FINISHES ON  
THE HANDLEBAR, FRONT AND  
SIDE FAIRINGS**

**FULL LED LIGHT CLUSTER WITH  
DRL + LED REAR LIGHTS**

**50 CC I-GET 4-STROKE  
2.4 KW ENGINE**

**DEDICATED SPORTY  
GRAPHICS**

**FOLD-OUT PASSENGER  
FOOTRESTS**

THE DELTA FEATURES BETWEEN THE SXR 50 SPORT AND SXR 50 ARE HIGHLIGHTED IN RED



# **SXR50**

aprilia

**850 MM LONG SADDLE**

**BAG HOOK**

**LCD INSTRUMENTATION**

**COMPARTMENT  
UNDER THE SEAT WITH  
COURTESY LIGHT**

**GLOVE COMPARTMENT  
WITH USB CHARGER PORT**

**FULL LED LIGHT CLUSTER WITH  
DRL + LED REAR LIGHTS**

**50 CC I-GET 4-STROKE  
2.4 KW ENGINE**

**FOLD-OUT PASSENGER  
FOOTRESTS**



**SR GT**  
400



**RALLY  
REPLICA**



**RUGGED  
BLACK**



**BOULDER  
GREY**



**DUSTY  
GREY**

**SR GT**  
SPORT 125/200



**SPACE  
WHITE**



**SAVANA  
GREY**



**RED  
RACEWAY**

**SR GT**  
125/200



**OPALESCENT  
LIGHT**



**STREET  
GREY**



**APRILIA  
BLACK**

**SXR**  
50 SPORT



**ENIGMA  
BLACK**



**POWER  
RED**

**SXR**  
50



**ESSENCE  
WHITE**



**INSTINCTIVE  
GREY**

**SCOOTER**  
**COLOR RANGE** 2026

For more information  
visit [aprilia.com](http://aprilia.com)

	<b>SR GT 400</b>	<b>SR GT 125 SPORT SR GT 125</b>	<b>SR GT 200 SPORT SR GT 200</b>	<b>SXR 50 SPORT SXR 50</b>
<b>Engine</b>				
<b>Engine</b>	Single-cylinder 4-stroke	Single-cylinder 4-stroke i-get with Start&Stop system		Single cylinder 4-stroke i-get
<b>Engine capacity</b>	399 cc	125 cc	174 cc	49 cc
<b>Bore x stroke</b>	84 x 72 mm	52 mm x 58.7 mm	61.5 mm x 58.7 mm	39 mm / 41.4 mm
<b>Max. power</b>	26.4 kW (36 HP) @ 7.500 rpm	11 kW (15 HP) @ 8,900 rpm	13 kW (17.7 HP) @ 8,650 rpm	2.4 kW at 7,250 rpm
<b>Max. torque</b>	37,7 Nm @ 5.700 rpm	12 Nm @ 6,750 rpm	16.5 Nm @ 7,000 rpm	3.3 Nm at 6,250 rpm
<b>Consumption</b>	-	2.5 l/100 km	2.6 l/100 km	2.4 l/100km
<b>CO<sub>2</sub> Emissions</b>	-	60 g/km	61 g/km	56 g/km
<b>Valve timing system</b>	Single overhead camshaft (SOHC), 4 valves	Single overhead camshaft, 4 valves		Single overhead camshaft (SOHC) - 3 valves
<b>Cooling</b>	Liquid	Liquid		Forced air
<b>Fuel system</b>	Electronic injection	Electronic injection		Electronic injection
<b>Lubrication</b>	Dry sump system	Wet sump		Wet sump
<b>Starter</b>	Electric	Electric		Electrical
<b>Transmission</b>	Continuously variable transmission (CVT)	Continuously variable transmission (CVT)		Automatic continuously variable transmission (CVT) with torque server
<b>Clutch</b>	Automatic, multi-disc oil bath	Automatic centrifugal dry clutch		Automatic centrifugal dry
<b>Chassis</b>				
<b>Chassis</b>	Double cradle, in high-resistance steel tubing	Double cradle, in high-resistance steel tubing		Single cradle structure in tubular steel with pressed reinforcements
<b>Front suspension</b>	Hydraulic upside-down fork Ø 41 mm - axial stroke 120 mm	Hydraulic telescopic fork Ø 33 mm (120 mm travel)		Telescopic hydraulic fork, 76 mm stroke
<b>Rear suspension</b>	Double hydraulic shock absorber with external gas tank and 12 mm adjustable preload axial stroke 120 mm	Double hydraulic shock absorber with adjustable preload (102 mm travel)		Dual action single shock absorber, adjustable to 5 positions
<b>Front brake</b>	Ø 300 mm hydraulic floating disc, radial caliper with 4 pistons	Hydraulic with wave disc, Ø 260 mm - single channel ABS		Ø 220 mm brake disc served by 2 Ø 25.4 mm dual piston floating callipers
<b>Rear brake</b>	Ø 240 mm hydraulic disc	Hydraulic with wave disc Ø 220 mm		Ø 140 mm drum
<b>Front tyre</b>	120/70 16"	110/80 - 14"		Tubeless 120/70 - 12"
<b>Rear tyre</b>	150/70 14"	130/70 - 13"		Tubeless 120/70 - 12"
<b>Length</b>	2,165 mm	1,920 mm		1,965 mm
<b>Width</b>	855 mm	765 mm		690 mm
<b>Seat height</b>	820 mm	795 mm		775 mm
<b>Wheelbase</b>	1,535 mm	1,350 mm		1,360 mm
<b>Fuel tank capacity</b>	12 l	9 L		7 l
<b>Emissions compliance</b>	Euro 5+	Euro 5+		Euro 5

# SERVICES

## X-CARE + MAINTENANCE

Thanks to X-Care + Maintenance, the ordinary maintenance packs, you can ride your Aprilia scooter and bike with peace of mind, in the world. Created to meet various needs, by choosing and purchasing one of the available packages, you will receive periodic maintenance as required in the use and maintenance manual.

Check the packages available for the various models with your preferred dealer.

## X-CARE + PREMIUM WARRANTY

The X-Care + Premium Warranty completes the dedicated services on offer, protecting your peace of mind when it comes to your Aprilia bike and allowing you to travel worry-free. In addition to 2-year factory warranty, you can enjoy further protection with a 1 or 2 year extended warranty which includes roadside assistance.

- Coverage of repair costs for faults due to manufacturing or assembly defects on parts
- Replacement of any damaged parts with original spare parts, labour included
- Roadside Assistance includes breakdown and towing service to the nearest Piaggio Service point
- Specialised, certified Piaggio Group Service assistance
- Maintenance of the retail value of your used vehicle in case you decide to sell
- Coverage throughout Europe

Ask your dealership or your authorised service centre for full details of the services and coverage available in your country.

## DREAM RIDE®

With DreamRide, your dream of riding an Aprilia vehicle is even easier to achieve. In fact, you can choose the most suitable financing solution for you, selecting it from a range of services conceived by the Piaggio Group to meet the numerous and changing financing needs.

The company reserves the right to make technical and aesthetic changes at any time. Full information on models and accessories is available at [www.aprilia.com](http://www.aprilia.com) Ride carefully, always wearing a helmet and suitable gear. Always comply with the rules of the road and respect the environment. Read the operating and maintenance manual carefully. Always ask for original and approved spare parts in accordance with current legislation. Visit an Official Aprilia Dealership or Authorised Retailer for a secure purchase and guaranteed service support.

Toll Free Number:  
**0080015565500**  
(only for France, Spain, Germany, Benelux and UK)

COMPANY WITH  
ENVIRONMENTAL SYSTEM  
CERTIFIED BY DNV  
= ISO 14001 =

COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV  
= ISO 9001 =

COMPANY WITH  
SAFETY SYSTEM  
CERTIFIED BY DNV  
= OHSAS 18001 =

Aprilia is a registered trademark  
of Piaggio & C. S.p.A.



**NO STRESS. ENDLESS FUN.**

Purchase an Aprilia scooter from the Official Network and get up to four years of warranty.

## EXTENDED COMMERCIAL WARRANTY

At the end of the Standard Commercial Warranty (lasting 2 years from purchase or registration of the vehicle) a warranty lasting 12 months + additional 12 months (up to a maximum of 24 months) will be activated, provided that the ordinary maintenance activities set out in the Use and Maintenance Manual are carried out by the Service Centers of the Official Assistance Network, starting from the date of purchase of the vehicle. The Extended Commercial Warranty will be granted to Aprilia scooters up to 50 cc Euro 5 approved and over 50 cc Euro 5+ approved, purchased from the Official Network starting from 19th May 2025, at no additional cost to the customer. It guarantees free repair or replacement of major components. For more information, exclusions and general conditions on the Extended Commercial Warranty and the Standard Commercial Warranty, contact the Official Network or visit our website [www.aprilia.com](http://www.aprilia.com)

## DREAM RIDE®

With DreamRide, your dream of riding an Aprilia vehicle is even easier to achieve. In fact, you can choose the most suitable financing solution for you, selecting it from a range of services conceived by the Piaggio Group to meet the numerous and changing financing needs.

The company reserves the right to make technical and aesthetic changes at any time. Full information on models and accessories is available at [www.aprilia.com](http://www.aprilia.com) Ride carefully, always wearing a helmet and suitable gear. Always comply with the rules of the road and respect the environment. Read the operating and maintenance manual carefully. Always ask for original and approved spare parts in accordance with current legislation. Visit an Official Aprilia Dealership or Authorised Retailer for a secure purchase and guaranteed service support.

Numero Verde  
**800-155655**

AZIENDA CON SISTEMA  
DI GESTIONE AMBIENTALE  
CERTIFICATO DA DNV  
= ISO 14001 =

AZIENDA CON SISTEMA  
DI GESTIONE QUALITÀ  
CERTIFICATO DA DNV  
= ISO 9001 =

AZIENDA CON SISTEMA  
DI GESTIONE SICUREZZA  
CERTIFICATO DA DNV  
= OHSAS 18001 =

Aprilia è un marchio registrato di Piaggio & C. S.p.A.



*aprilia.com*